

AMENDMENTS

IN THE CLAIMS:

✓
Please **cancel** claims 1-17.

Please **add** claims 18-26 as follows.

18. (New) An apparatus operating on the basis of an operating clock for generating a tone signal in response to a sounding start instruction, the apparatus comprising:

a tone generating block that is configured for generating tone signals for a plurality of sounding channels in a time division manner;

a control data inputting block that is configured for inputting control data effective to specify a number of the sounding channels to be used;

a clock control block that is configured on the basis of the control data for stopping a supply of the operating clock to the tone generating block in a given duration during which the specified number of the sounding channels are not used; and

a sounding control block that is configured in accordance with the sounding start instruction for allocating tone signals corresponding to the sounding start instruction to the number of sounding channels determined on the basis of the control data, and for starting generation of the tone signals through the allocated sounding channels.

A1
1002745-12101
TOTAL 5422001

A1
cont.

19. (New) An apparatus operating on the basis of an operating clock for generating tone signals in response to a sounding start instruction, the apparatus comprising:

a tone generating block that is configured for generating tone signals for a plurality of sounding channels in a time division manner;

a sounding control block that is configured in accordance with the sounding start instruction for allocating tone signals corresponding to the sounding start instruction to the sounding channels, and for starting generation of the tone signals through the allocated sounding channels;

a volume detecting block that is configured for detecting a volume level of each of the sounding channels;

a control data generating block that is configured on the basis of the detected volume level of each sounding channel for generating control data effective to control a supply of the operating clock to each sounding channel; and

a clock control block that is configured on the basis of the control data for controlling the supply of the operating clock to the tone generating block.

1002345-12201
1002345-12201

A1
cont.

20. (New) A signal processing apparatus, comprising:

a signal processing block that is configured responsive to an operating clock for carrying out signal processing by executing a program;

a program selecting block that is configured for selecting a program to be executed by the signal processing block and for setting the selected program to the signal processing block;

a control data generating block that is configured on the basis of the set program for generating control data indicative of a program part not valid or effective in the set program; and

a clock control block that is configured on the basis of the control data for stopping a supply of the operating clock to the signal processing block in a given duration corresponding to the program part indicated by the control data.

A1
cont.

21. (New) A method of operating a tone generator on the basis of an operating clock for generating a tone signal in response to a sounding start instruction, the method comprising the steps of:

configuring the tone generator for generating tone signals through a plurality of sounding channels in a time division manner;

inputting control data effective to specify a number of the sounding channels to be used;

stopping a supply of the operating clock to the tone generator according to the control data for a given duration during which the specified number of the sounding channels are not used;

allocating tone signals corresponding to the sounding start instruction to the number of sounding channels determined on the basis of the control data; and

starting generation of the tone signals through the allocated sounding channels.

10022745-101001

A1
cont.

22. (New) A computer program having instructions for causing a computer to perform a method comprising the steps of:

configuring the tone generator for generating tone signals through a plurality of sounding channels in a time division manner;

inputting control data effective to specify a number of the sounding channels to be used;

stopping a supply of the operating clock to the tone generator according to the control data for a given duration during which the specified number of the sounding channels are not used;

allocating tone signals corresponding to the sounding start instruction to the number of sounding channels determined on the basis of the control data; and

starting generation of the tone signals through the allocated sounding channels.

FOOTNOTES - 102245-102201

A1
cont.

23. (New) A method of operating a tone generator on the basis of an operating clock for generating tone signals in response to a sounding start instruction, the method comprising the steps of:

configuring the tone generator for generating tone signals through a plurality of sounding channels in a time division manner;

allocating tone signals corresponding to the sounding start instruction to the sounding channels in accordance with the sounding start instruction;

starting generation of the tone signals through the allocated sounding channels;

detecting a volume level of each of the sounding channels;

generating control data effective to control a supply of the operating clock to each sounding channel on the basis of the detected volume level of each sounding channel; and

controlling the supply of the operating clock to the tone generator on the basis of the control data.

A1
cont.

24. (New) A computer program having instructions for causing a computer to perform a method comprising the steps of:

configuring the tone generator for generating tone signals through a plurality of sounding channels in a time division manner;

allocating tone signals corresponding to the sounding start instruction to the sounding channels in accordance with the sounding start instruction;

starting generation of the tone signals through the allocated sounding channels;

detecting a volume level of each of the sounding channels;

generating control data effective to control a supply of the operating clock to each sounding channel on the basis of the detected volume level of each sounding channel; and

controlling the supply of the operating clock to the tone generator on the basis of the control data.

10022745-121201

A1
cont.

25. (New) A signal processing method comprising the steps of:
- configuring a signal processor responsive to an operating clock for carrying out signal processing by executing a program;
 - selecting a program to be executed by the signal processor and setting the selected program to the signal processor;
 - generating control data indicative of a program part not valid or effective in the set program; and
 - stopping a supply of the operating clock to the signal processor in a given duration corresponding to the program part indicated by the control data.

10022745-121201

A1
conc.

26. (New) A computer program having instructions for causing a computer to perform a method comprising the steps of:

configuring a signal processor responsive to an operating clock for carrying out signal processing by executing a program;

selecting a program to be executed by the signal processor and setting the selected program to the signal processor;

generating control data indicative of a program part not valid or effective in the set program; and

stopping a supply of the operating clock to the signal processor in a given duration corresponding to the program part indicated by the control data.

10022745-121201